β-N-Acetylglucosaminidase, effect with steroids on levels of, 441
Acridine Orange Uptake, effect of steroids on, 441
Active immunization, in rabbits, of testosterone, 379
Adrenal-regeneration hypertension, rat serum deoxycorticosterone levels after quiescent kills, 323
Adrenocorticol 11β-hydroxylase system, in rats, 707
Aging Rat, testosterone in, 753
Aldosterone, Radioimmunoassay of, 301
Aldosterone Metabolism, sex dependence of, 763
Ammonium sulfate, in the radioimmunoassay of estrogens, 145
Androgen
    Binding proteins in bone marrow for, 13
    Metabolism of in rat brain, 53
    Retention of in mouse kidney, 107
Androgen receptor
    in rat testis, 569
    in cytosol, 507
    in human fibroblasts, 535
Androgens
    in aging rat, 753
    in experimental bilateral cryptorchid rats, 33
    in orchidectomized rats, 33
    profile during sexual maturation in rats, 33
    the inhibitive effects of in the binding of tritiated 5α-dihydrotestosterone to receptor proteins, 189
Androsta-2,4-dien-17-one, synthesis from testosterone, 673
Androsta-2,4-dien-17β-ol, synthesis from testosterone, 673
5α-Androstan-17β-ol-3-one, 507
    metabolism of in the guinea pig brain, 203
    receptor, 535
5α-Androstan-3-one, metabolism of in rabbits, 403
Androst-4-en-3-17-dione-^{3}H, brain metabolism of, 53
Androst-4-en-17β-ol-3-one, metabolism of in the guinea pig brain, 203
Androst-5-en-3β-ol-17-one, direct analysis of in plasma, 799
Androsterone-7-carboxymethoxime-BSA, preparation of, 153
Ascorbic Acid, protection of estrogenic hormones by, during chromatography, 421
Antiestrogens, 257

Baboon, metabolic fate of ethynodiol diacetate in, 829
Bile acid, precursors of, 365
Bile alcohols, synthesis of, 365
Binding plasma proteins, in rats, mouse and man, 717
Blood plasma, estrogen conjugates in, 677
Bone marrow, characterization of a testosterone receptor in, 13
Bovine, plasma estrodiol-17β levels during estrous cycle, 487
Bromoestradiols, 2 and 4, synthesis of, 829

7-Carboxymethoximino-5α-androstan-3α-ol-17-one, preparation of and conjugation with bovine serum albumin, 153
Carboxymethyl testosterone, 6α and 6β, in radioimmunoassay, 13
Cholecalciferol, metabolites of, 247
Clomiphene, effect of on uterine-stimulating actions of stilbestrol and testosterone, 163

β-N-Acetylglucosaminidase, effect with steroids on levels of, 441
Acridine Orange Uptake, effect of steroids on, 441
Active immunization, in rabbits, of testosterone, 379
Adrenal-regeneration hypertension, rat serum deoxycorticosterone levels after quiescent kills, 323
Adrenocorticol 11β-hydroxylase system, in rats, 707
Aging Rat, testosterone in, 753
Aldosterone, Radioimmunoassay of, 301
Aldosterone Metabolism, sex dependence of, 763
Ammonium sulfate, in the radioimmunoassay of estrogens, 145
Androgen
    Binding proteins in bone marrow for, 13
    Metabolism of in rat brain, 53
    Retention of in mouse kidney, 107
Androgen receptor
    in rat testis, 569
    in cytosol, 507
    in human fibroblasts, 535
Androgens
    in aging rat, 753
    in experimental bilateral cryptorchid rats, 33
    in orchidectomized rats, 33
    profile during sexual maturation in rats, 33
    the inhibitive effects of in the binding of tritiated 5α-dihydrotestosterone to receptor proteins, 189
Androsta-2,4-dien-17-one, synthesis from testosterone, 673
Androsta-2,4-dien-17β-ol, synthesis from testosterone, 673
5α-Androstan-17β-ol-3-one, 507
    metabolism of in the guinea pig brain, 203
    receptor, 535
5α-Androstan-3-one, metabolism of in rabbits, 403
Androst-4-en-3-17-dione-^{3}H, brain metabolism of, 53
Androst-4-en-17β-ol-3-one, metabolism of in the guinea pig brain, 203
Androst-5-en-3β-ol-17-one, direct analysis of in plasma, 799
Androsterone-7-carboxymethoxime-BSA, preparation of, 153
Ascorbic Acid, protection of estrogenic hormones by, during chromatography, 421
Antiestrogens, 257

Baboon, metabolic fate of ethynodiol diacetate in, 829
Bile acid, precursors of, 365
Bile alcohols, synthesis of, 365
Binding plasma proteins, in rats, mouse and man, 717
Blood plasma, estrogen conjugates in, 677
Bone marrow, characterization of a testosterone receptor in, 13
Bovine, plasma estrodiol-17β levels during estrous cycle, 487
Bromoestradiols, 2 and 4, synthesis of, 829

7-Carboxymethoximino-5α-androstan-3α-ol-17-one, preparation of and conjugation with bovine serum albumin, 153
Carboxymethyl testosterone, 6α and 6β, in radioimmunoassay, 13
Cholecalciferol, metabolites of, 247
Clomiphene, effect of on uterine-stimulating actions of stilbestrol and testosterone, 163

Corticosteroid sulfates, urinary excretion of, 697
Cyclization, of 13β-aklyl-3-methoxy-17β-ol-8,14-seco-1,3,5(10),9-gonatetraen-14-ones and their 17 acetate derivatives, 611

Deoxycorticosterone,
  plasma radioassay of, 1
  radioimmunoassay of, 323
  serum levels of, in ether-stressed rats, 323
Dextran-coated charcoal, in the radioimmunoassay of estrogens, 145
Diethylstilboestrol, in rats, mouse and man, 717
5α-Dihydrotestosterone, in male rat plasma, 73
Dihydrotestosterone, the inhibitive effects of, in the binding of tritiated 5α-dihydrotestosterone to receptor proteins, 189
5α,3β-Dihydroxy-5α-cholestane, preparation of, 619
25,26-Dihydroxyvitamin D_3, synthesis of, 247
Dioxolenium ions, trans-diequatorial nucleophilic opening of, 619
Direct analysis, of dehydroisoandrosterone in plasma, 799
Diurnal rhythm, of testosterone, in rabbits, 313

Endocrine therapy, 497
Epididymal fluid, testosterone metabolites in, 413
Epididymis, in rabbits, 507
Estradiol,
  Covalent binding of to proteins, 135
  17β, radioimmunoassay of, with and without chromatography, 487
  receptors, in rat, 591
Estriol,
  Plasma concentrations of, 807
  Urine analysis of, 587
Estriol conjugates, enzyme hydrolysis of, 587
Estrogen, effect of on uterine sialic acid, 285
Estrogen conjugates, in blood plasma, 677
Estrogen receptor, 257, 627
Estrogenic hormones, protection of, by ascorbic acid during chromatography, 421
Estrogens,
  Gas chromatography of, 553
  Radioimmunoassay of, 145
Estrone glucosiduronate, metabolites of in blood, 427
6β-ethyl-3-methoxy-17β-ol-8,14-seco-1,3,5(10),8-Gonatetraen-14-one, isolation of, 611
Ethynodiol diacetate, metabolic fate of in the baboon, 829
17α-Ethynylestradiol, urinary metabolites of, 229
17α-Ethynylestradiol 3-methyl ether, metabolism of by women, 343
17α-Ethynyl-1,3,5(10)-estratrien-3,17β-diol, metabolism of, 121
17α-Ethynyl-17β-hydroxy-estr-4-en-3-one, microbiological hydroxylation of, by Acremonium strictum and Acremonium kiliense, 99

Ferric-Acetate reaction, 525
Ferric-Chloride reaction, 525
Fibroblast, skin, 535
Fluoxymesterone, radioimmunoassay for, 43
Fluoxymesterone-3-carboxymethyloxime, radioimmunoassay, 43

Gas chromatographic differentiation, of sterols, 729
Gas chromatography, of estrogens, 553

Halotestin, radioimmunoassay for, 43
HCG, stimulation of, in rabbit testis, 379
Hen, estrogens in blood plasma, 677
Hormone-protein interaction, 477
Human mammary carcinoma, progesterone receptors, 497
7α-Hydroxy-cholesterol hydroxylase, in rat liver, 663
18-Hydroxydeoxycorticosterone, tetrahydroderivatives of, in rat adrenal and liver, 177
2-Hydroxy-17α-ethynylestradiol, mestranol metabolite from women, 343
2-Hydroxy-17α-ethynylestradiol 2,3-dimethyl ether, metabolism of, by women, 343
2-Hydroxy-17α-ethynylestradiol 2,3-dimethyl ether 17-acetate, metabolism of, by women, 343
Hydroxylase, in testis microsomes, 791
17α-Hydroxylation, of 11-oxa-20-keto steroids, 78
20α-Hydroxypregn-4-en-3-one, in ovaries, 63
17-Hydroxyprogesterone, radioassay of, 283
Hypothalamus, estradiol receptors in, 591

Luteinising hormone, secretion of, by male rabbit, 313
17,20-Lyase, inhibition of in testes, 217
Lysosomes, acridine orange uptake in, 441

Macaca mulatta, effect of ovariectomy in pregnancy, 275
Mass spectrometry, of 17-oxygenated progesterones, 817
Mestranol, metabolism of by women, 343
Metabolism,
    of 5α-androstan-3-one, 403
    of estrone glucosiduronate in dogs, 427
    of ethynodiol diacetate in the baboon, 829
    of oral contraceptives, 121
    of progesterone-4-^{14}C, 465
    of ^{3}H-testosterone, 413
    of testosterone sulfate, 637
3-Methoxy-19-nor-17α-pregn-4-en-20-yn-3-one, metabolism of, 121
24-Methylene-5α-lanost-8-en-3β-ol, presence in Pichia sp., 741
Microcalorimetric determination, 477
Microsomes, in testis, 791
Mouse kidney, androgen retention in, 107

Ovarian blood, steroid hormones in, of the laying turkey, 169
Ovarian tissue, Δ^5-pregnenediol formation in, 63
11-Oxa-17-acetoxyprogesterone, synthesis of, 781
11-Oxa steroids, synthesis of, 781
17-Oxygenated progesterones, mass spectrometry of, 817

Pichia sp., sterol composition of, 741
Pituitary, estradiol receptors in, 591
Plasma Clearance Rates, in rats, 763
Post-ovulatory contraceptive activity, 99

5β-Pregna-3,20-dione, conversion of progesterone-1,2^{3}H to, by brain tissue, 459
Pregnant ovariectomized monkeys,
chorionic gonadotropin in, 257
plasma estrogens and progesterone, 257
Δ^5-Pregnenediol, formation of in ovaries, 63
Pregn-4-en-17α-2,-diol-3,11,20-trione, metabolism of in rat lung, 387
Pregn-4-en-3,20-dione, inhibition of 17,20-lyase by, 217
Pregn-4-en-3,20-dion-11,17,21-triol, metabolism of, 355
Pregn-4-en-3,20-dion-11β,17α,21-triol, metabolism of, in rat lung, 387
Pregn-4-en-11β,17α,21-triol-3,20-dione, urinary excretion of sulfate conjugated metabolites, 697
Progesterone, effect of on uterine sialic acid, 285
Progesterone-4-^{14}C, metabolism of, in chimpanzee, 465
Progesterone receptor, 497
Prostate tissue, the inhibitive effects of steroid analogues in the binding of tritiated 5α-dihydrotestosterone to receptor proteins in, 189
Protamine sulfate, 627

R_{Oxo}- and relative ΔR_{Oxo}-values of sterols, in gas chromatography, 729
Radioactive synthesis, of bile acids, 365
Radioassay, of deoxycorticosterone, 1
Radioimmunoassay,
for Bovine plasma estradiol-17β, 487
for Fluoxymesterone, 43
for testosterone, 23
of aldosterone and interference by spirolactone metabolites, 301
of dehydroisoandrosterone, direct analysis in plasma, 799
of estrogens, 145
of testosterone in male rats, 73
of unconjugated plasma ethynylestradiol, 773
Rat liver microsomes, 663
Rat testes, influence of age on, 649
Receptors, of steroids, 627
Reductase, 5β-, in brain tissue, 459

Sex dependence, of aldosterone metabolism, 763
Steroid interference, with iron, 525
Steroid metabolism, 247
of progesterone-1,2^{3}H, by brain tissue, 459
Steroids, metabolism of in rabbits, 403
Sterols,
Gas chromatographic differentiation of, 729
in Pichia sp., 741
Stilbestrol, effect of on uterine weight, histology and biochemical constituents of, 163
Spirolactone, metabolism of, 301
Sulfate conjugated metabolites, of cortisol, in urine, 697
Synthesis, of 2 and 4-bromo-estradiols, 829

Testis,
Androgen receptor in rat, 569
Microsomes, cytochrome P-450 in, 791

Testosterone,
Effect of on uterine weight, histology and biochemical constituents of, 163
in aging rat, 753
in male rat plasma, 73
in rabbit testis, 379
Metabolism of, 413, 649
Nuclear receptor for, 13
Radioimmunoassay for, 13
Secretion of, by male rabbit, 313
Testosterone sulfate, metabolism of, 637
Testosterone-p-Toluenesulphonylhydrazone, synthesis from testosterone, 673
Thin-layer chromatography, protection of estrogenic hormones by ascorbic acid during, 421
trans-Diequatorial 1,2-diols, preparation of, 619
3β,18,21-Trihydroxy-5α-prenan-20-one, identification of in rat adrenals and liver, 177
3α,18,21-Trihydroxy-5β-pregnan-20-one, identification of in rat adrenals, 177

Urine, pregnancy, estrogens in, 535
Uterine, estrogen receptor in, 257
Uterus, sialic acid in, 285

Vitamin D_3 metabolites, 247